
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





EARLY AND WELL KNOWN SPECIES

short stems, bright green, roughly puckered. Flow-
ers white and drooping on tall stems 1.00
 acuminata. A.B.S. seed. Similar to B. Lady Waterlow. Everblooming well branched. Flowers white tinted pink. Intermediate fibrous
acutangularis. Tall fibrous cane-type. Stems angular,
well branched Leaves glossy green with lighter veining, red beneath. Flowers small white in large clusters
Angularis (Zebrina) Brazil. Tall fibrous, branches drooping. Leaves pointed, green with gray veins.
drooping. Leaves pointed, green with gray veins. Flowers small white, clustered on short stems
compta. Tall fibrous cane, Light green leaves with gray veining, red beneath. White flowers in clusters50
carpinifolia. Fibrous, from Costa Rica, Stems and
branches woody. Dark green beech-tree-like leaves. Flowers white. 1.00
Dayii A.B.S. seed. Mexico. Medium leafed rhizomatous. Glossy bright green leaves heavily marked with brown veins. Flowers greenish white small, in lacy clusters high above the foliage 1.00
dichotoma (lindleyana) Venezuela. Large, robust, thick-
stemmed fibrous. Short branches. Leaves roundish, green. Flowers creamy white
dipetala. (Mrs. Kimball) Bombay. Rarely branches,
thick-stemmed fibrous. Stems rigid. Bristly hairy. Flowers soft pink drooping clusters
dregei. South Africa. Small semi-tuberous. Small ma- ple-shaped leaves in bronze green. Many branched. Flowers white on short stems

floribunda (multiflora rosea) Pink flowered form of B. fuchsioides. Leaves rose-like. Flowers pink in deli- cate clusters
foliosa. Early Columbia species. Bushy fern-like fibrous. Stems and branches arching, Small leaves. Tiny white flowers tinged with pink, single or in pairs on thread-like stems
fuchsioides. Mexico. Small leafed fibrous. Tall erect. Branches arching. Leaves small glossy dark green. Flowers bright scarlet, heart-shaped in nodding clusters
imperialis. Native of Mexico and Brazil. Low-growing, small leafed rhizomatous. Velvety leaves in plush green mottled with silver. (Takes Saint Paulia cul- ture). Fragrant small white flowers. 1.00
imperialis-smaragdina. Same in lovely green plush. 1.00 imperialis variations. Beautifully marked variations ob-
tained by crossing the species. 1.00 incarnata Sandersi. The sturdy incarnata. Bushy small leafed fibrous. Well branched, narrow pointed light green leaves. Large pink flowers in terminal clus-
ters
Leaves leathery covered with tomentose. Peltate. Flowers large white on arching stems
involucrata. Costa Rica. Thick stemmed fibrous. Soft hairy leaves, light green, lobed. Flowers in compact clusters
Kellermani. Guatemala. Entire plant covered with white surf. Fibrous. Suede-like peltate leaves, cup-
ped. Flowers light pink
 macBethi. Small leafed semi-tuberous. Many branched. Leaves dainty maple-shaped. Flowers white in clusters close to foliage.
metallica. Brazil. Erect fibrous. Bushy, hairy leaf in deep olive-green with metallic sheen, purple veined above, red veined beneath. Flowers large bright pink, darker pink and bearded without in large clusters
multangula. Semi-tuberous with small maple-like leaves in deep bronze. Many branched. Flowers white on short stems
odorata alba. Similar to B. nitida but hardier and stronger grower. Tall fibrous cane. Flowers white shaded to pink in many clusters. Fragrant
ricinifolia. Large leafed rhizomatous. Hardy. Bronze foliage. Flowers rose pink on tall stems
ricinifolia-variegata. Same as above but leaves covered with tiny white flecks. 1.00
rubro-venia. India. Intermediate fibrous. Many branch- ed, Leaves pointed satiny green, sometimes red be- neath. Flowers greenish white
rubro-venia. Silver leafed variation of above
Scharffiana. Low-growing and spreading fibrous. Stems red, hairy. Leaves densely covered with white hair, red underneath. New leaves like pink plush. Flowers pale pink in long arching stems. 1.00
Schmidtiana. Brazil. Dwarf fibrous. Many branched. Leaves rounded, dark green soft hairy, under mar-
gin of maroon. Flowers white in heavy clusters50 strigillosa. Medium leafed rhizomatous Bright green
leaves heavily flecked with chocolate. Compact growth. Flowers delicate pink. 1.00

EARLY HYBRIDS AND SELECTIONS

. .

....

.. ...

new leaves suggestive of calla flower. Semperflor-
ens culture. Flowers pink, red or white
brous, glossy leaves slightly hairy, margins toothed. Intermediate type. Everblooming white flowers dark pink without
<pre>corbeille de feu. A French hybrid. Leaves oval glossy green. Few branching intermediate fibrous. Flowers coral-red in drooping clusters</pre>
bijou de jardin. (Jewel of the garden) French. Semper- florens group. Low compact miniature growth. Leaves small. Flowers tiny, loosely double in clus- ters of scarlet
digswelliana. English hybrid. Low bushy branches drooping. Leaves small, coarsely toothed glossy green. Flowers drooping long stemmed scarlet
Frieda Grant. Small fibrous of the B. Chiala group. Densely foliaged. Leaves narrow and wavy curving, green with red beneath. Flowers pinkish
Rubellina. English rhizomatous hybrid. Medium leaves, broad with pointed lobes, dark olive green chocolate- blotched. Flowers white. 1.00
Ingrami. Early English, small leafed fibrous. Tall and bushy. (Syn. robusta) Flowers deep pink on short stems
Margaritae. Bushy fibrous. French. Small hairy leaves, olive-green with purple veining beneath. Flowers deep pink bearded. opening to paler pink
Marjorie Daw. Hybrid of Mrs. Shepherd. Glossy green pendant leaves. Blooms with huge clusters of red flowers. One of the best hangers
 medora. Chance seedling of Mrs. Gray's. Intermediate type fibrous. Stems erect. Leaves small, long triangular, silver spotted toothed and wavy. Stipules pinkish. Flowers pink.
Grandma Frey. Origin unknown. Semperflorens in- clined to creep. Foliage glossy green with bronze and red overcast. Red beneath. Leaves almost round. Flowers vivid red
Nelly Bly. Mrs. Gray's seedling. Erect bushy fibrous, hairy. Leaves white hairy, olive green, red beneath. Flowers large pale pink within and red bearded without
Perle Lorraine. (Bertha von Lothringen) French hybrid. Low bushy fibrous. Leaves dark green marbled with chocolate, beneath a lighter green mottled red. Flowers, numerous in lacy clusters of pink
pink-top. Origin unknown. Double semperflorens, bright green foliage. Compact growth. Flowers pink with pom-pom centers
 Sachens. From German seed. Small leafed fibrous. Well branched. Bronzy olive green leaves. Flowers bright red

			seedling.				
			Leaves bi				
whit	te in pe	endulo	us cluster	s			75
			rhizomato				
mar	ked wi	th darl	ker green	to br	own blot	ches.	Flow-
ers o	deep pi	nk on	long stem	s			

NEW SPECIES

 acetosa. New from Brazil. Rounded leaf, like velvet it is so thickly covered with white hair. Under leaf a brilliant red. Leaf large round on short stems. Low growing rhizome. Flowers white. 2.00
Boweri. Mexico. Introduced by Ziesenhenne. Minia- ture creeping rhizomatous. Leaf small dark green fringed with long hair and edged with dark mark- ings. Flowers white tinted to pink
Boweri major. Larger and more robust than Boweri with less distinct markings. Inclined to hang. Flow- ers white. 1.00
chimborazo. South America. A.B.S. seed. Creeping rhizome. Roundish peltate leaf with light yellowish green veins. Flowers in clusters of deep pink open- ing to white. 1.50
corro Benjo. New Mexican species lately introduced by Mr. Brooks. rhizomatous
epipsila. A.B.S. seed. Thick leathery leaf, bronzy red beneath. Flowers white. Excellent bloomer and good hanging basket type. 1.00
Kenworthyii. Ziesenhenne introduction. Thick stemmed rhizomatous from Mexico. Ivy-shaped leaf with pinkish gray cast that appears purplish blue when grown in strong light. Flowers pink
Mazae. Ziesenhenne introduction from Mexico. Up- right growing. Few branched. Beautifully marked bronzy leaves dark beneath. Flowers deep pink with red dots. Resents too much water
pustulata. (silver) Hardiest of the imperialis group. In- troduced by Ziesenhenne from Mexico. Creeping rhizomes. Velour-like leaves in light green gorgeous- ly marked with silver and brown. Flowers white bearded without. 1.00
pustulata. (Green) Variation of the above. Dark green leaves with gold-like veins set in the brown mark- ings. 1.00
Stich-leaf. Ziesenhenne introduction. Similar to Mazae. Distinct with its blanket-stitched leaf. Flowers lacy deep pink on drooping stems. Makes a good hanger. 1.00
Holly-leaf. Cuban species with small holly-like leaf, thick and glossy green like English Holly. Small fibrous, well branched. Flowers white tinged with pink

NEW HYBRIDS

 Alto-Scharffi. Woodriff hybrid. Beautiful reddish plush leaves. Many branched fibrous. Entire plant covered with reddish soft hair. Good bloomer with flowers pink opening to paler pink. 1.00
 Fred Brown. Mazae hybrid of Ziesenhenne's Medium rhizomatous. Satiny bronze leaf. Compact grower. Flowers pink. 1.00



Baby Brown. Selected seedling of the above hybrid. A Fred Brown in miniature. 1.00
Freddie. Ziesenhenne hybrid of B. Barkeri. Huge leaves in deep green of this rhizomatous hybrid makes it a wonderful specimen plant. Winter bloomer, pink clusters on tall stems. 1.00
Joe Hayden. Another Ziesenhenne hybrid. One of the darkest of the rhizomatous type. Almost black leaf with red back, satiny sheen. Flowers dark pink in tall clusters. Extremely popular
Lu Walter. B. incarnata hybrid of Ziesenhenne's. Bronzy leaves. Medium fibrous. Can be trained to hang. Clusters of pink flowers
Pauline. Mrs. Frey's B. Lemminghei hybrid. Beautiful basket type. Glossy green leaves. Apricot flowers in large clusters. Likes winter rest
Ricky Minter. Gorgeous crested rhizomatous hybrid of Mrs. Marie Turner's. Dark green to bronze crested leaf with red black. Hardy. Flowers deep pink on tall stems. 1.50
Skeezar. Lovely silver leafed small rhizomatous hybrid of Mr. Ziesenhenne's. Heavily silvered on light green. Flowers white. 1.00
Silver Star. Star-type rhizomatous. Mrs. Frey's hybrid. Thick rhizome with many leaves making a compact grower. Flowers greenish white
ZeeBowman. The first hybrid of B. Boweri. Produced by Mr. Ziesenhenne in 1951. Small rhizomatous. Silver mottled leaf with red back. Compact grower. Winter bloomer Flowers delicate nink Makes an

Winter bloomer. Flowers delicate pink. Makes an ideal house plant. **1.00**

SCHWERDTFEGER HYBRIDS

 Helen Krauss. A Dayii hybrid. Medium rhizomatous. Leaves marked in dark chocolate along the veins. Red veins beneath. Flowers in lacy huge drooping clusters, of deep pink.
John R. Large rhizomatous with lettuce green leaves. Veins slightly outlined with brown. Five pointed. Flowers greenish white on tall stems. 1.00
Zaida. An epipsila hybrid. Medium rhizomatous. Round bronze leaf thick leathery, with bright red back. Flowers in pink clusters.
Bel-Air. A hydrocotylifolia hybrid. Small low growing rhizomatous. Round bronze leaf. Flowers pinkish red. 1.00
Del-Mar. A Mazae hybrid. Light green leaf with dark markings along the veins. Medium rhizomatous. Flowers deep pink. 1.00
Frances Downing. A Dayii hybrid. Compact rhizoma- tous. Leaves bronzy green and slightly hairy. Stip- ules red. Flowers delicate pink
Marie Reed. Mazae X Kellermani. Fibrous. Leaf peltate covered with white scurf over bronze. Slightly cup- ped. Flowers pink. 1.00
Janet Kay. B. Francesii hybrid. Creeping rhizomes. Leaf veined in light green. Heavily pebbled with a metallic sheen. 1.50
Elodye. B. incarnata hybrid. Fibrous to semi-tuberous. Stems dark red. Tall, well branched. Leaves long, pointed. Flowers salmony-pink, with long petals 1.00
Alice-Mac. Imperialis hybrid. Rhizomatous. Leaves large doubly serrated with long points. Flowers chartreuse opening to greenish white

Mac-Alice.	Sa	me as a	bove i	n light	ter gre	en lea:	f	1.50
Spaulding.	Α	Boweri	hybri	d. Sm	all rh	izomat	tous.	Leaf
		round,						
follow	the	veinin	g. Flo	wers	pink	above	the	foli-
age								1.00

The following B. imperialis hybrids are compact growers, sending up many leaves from a small rhizome.

Ione. Leaf peltate, hairy with yellowish veining. Flow- ers deep pink opening to white. Green sheath below the cluster. 1.00
Alma. Similar to Ione. Not peltate. Leaves more heavily veined. Flowers a lighter pink with sheath below cluster. 1.00
Elsa. Leaf dark green with red back. Slightly hairy. Flowers in small clusters of light pink with Mazae red dots. 1.00
Jane. Similar to Elsa, but in lighter green and less color in the back of the leaf. 1.00
Leora. B. metallica cross. Leaf pebbled and with metal- lic sheen

BEGONIA SEED

\$1.00 PER PACKET

- Rex begonia hybrids
- B. Boweri
- B. Boweri major
- B. circumlobata
- B. chimborazo
- B. Dayii
- B. dipetala
- B. epipsila
- B. Francesii
- B. dregei

- B. incana
- B. India-spotted
- B. involucrata
- B. imperialis
- B. Kenworthyi
- **B**. laeteviredes
- B. laeteviredes-bare
- B. Mazae
- B. metallica
- B. stitch-leaf

75c PER PACKET

- B. Calla-lily, pink, red or mixed
- B. foliosa
- B. incarnata Sandersi
- B. Kellermani
- B. Rubro-venia
- B. rupicola

- B. Scharffiana
- B. strigillosa
- **TUBEROUS SPECIES**
- B. boliviensis
- B. evansiana,
 - . white or pink
- B. Pearcei

- B. acutangularis
- B. acuminata
- B. Columbia,
- species No. 17
- B. francola B. hirtella
- B. macBethi

- B. Richardsiana B. roezli
- B. Schmidtiana
- B. subvillosa
- B. Manda's Woolley Bear
- B. Zebrina

Growing Instructions With Each Order

Prices are F.O.B. Santa Barbara, Cash with Order

Railway Express Collect

Parcel Post Charges Must Be Added To Mail Orders

50c PER PACKET

